

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	933	375/147.cds.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 17:43
S2	563	375/149.cds.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:24
S3	360	S2 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @riad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:44
S4	2816	(equalizer or equaliser) same (code and signal)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:48
S5	31047	(error or reliab\$5) same (multiplier or multiplies or multiplicity)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:50
S6	415	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:59
S7	0	S3 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:51
S8	3	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:51
S9	9	S1 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/05 18:59

S10	7	("6377611" "6426973" "6445692" "6570863" "6570864" "6700923" "6782036").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 11:53
S11	1	"09052501"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 11:55
S12	19	"6226318"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:41
S13	4158	375/140-149.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:41
S14	20172	(equalize\$3 or filter\$3) same (decod\$3 or slice\$3) and (encoding or reencod\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:44
S15	20234	(equalize\$3 or filter\$3) same (decod\$3 or slice\$3) and (encoding or re-encod\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:45
S16	411	S13 and S15	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:46
S19	361	S16 and error	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:52
S20	4	(error near\$4 (signal or message))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 13:48
S21	4	(error near\$4 (signal or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 13:50
S23	247	S19 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:03
S24	12019	S15 and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:03
S25	9068	S24 and error	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:05
S26	7620	S25 and (code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:06
S28	7112	S25 and (code\$3 same (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:07
S29	6335	S25 and (code\$3 with (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:08
S32	5487	S25 and (code\$3 near5 (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:13
S33	4823	S25 and (code\$3 near3 (vector or signal or sequence))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/03/06 14:13

S34	2954	S25 and (code\$3 near (vector or signal or sequence))	US-PGPUB; USPAT; USOOR	ADJ	ON	2007/03/06 14:13
S35	2341	S25 and (code\$3 adj (vector or signal or sequence))	US-PGPUB; USPAT; USOOR	ADJ	ON	2007/03/06 14:43
S36	150	S13 and S34	US-PGPUB; USPAT; USOOR	ADJ	ON	2007/03/06 14:17
S37	125	S13 and S35	US-PGPUB; USPAT; USOOR	ADJ	ON	2007/03/06 14:43
S38	13815	"712"/\$.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 14:46
S39	35	S35 and S38	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/06 17:29
S40	80	S36 and feedback	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 07:09
S41	7	((equal\$3 or equalis\$3) same (decod\$3 or slic\$3) same (encod\$3 or re-encode \$3)) and ((error near3 (signal or message)) same (code near (vector or signal))) and multiplier	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:15
S47	1488	(reliab\$ adj2 (factor or signal) same (receiver or receiving or received)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 14:51
S48	634	S47 and @py< "2000"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 16:37
S49	62	S48 and equalis\$	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 16:38
S50	11	"3609682"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:02

S51	564	(equaliz\$3 or equalis\$3) and (decod\$3 same (encod\$3 or re-encode\$3)) and (reliab\$ near3 (signal or message)) and (receiver or receiving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:21
S52	140	S51 and @py< "2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:21
S53	195	(equaliz\$3 or equalis\$3) and (decod\$3 same (encod\$3 or re-encode\$3)) and (reliab\$ near (signal or message)) and (receiver or receiving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:22
S54	33	S53 and @py< "2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/12 18:22
S56	5	((signal) with (code near vector)) same (reliab\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 11:43
S58	1	(code near vector) same (reliab\$5 near signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:29
S59	6	US-20030099316-\$.D.ID. OR US-6690723-\$.D.ID. OR US-6567481-\$.D.ID. OR US-6418164-\$.D.ID. OR US-6088389-\$.D.ID. OR US-9950983-\$.D.ID. OR US-4156575-\$.D.ID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 14:37
S60	3	((((code near vector) or (code) or (code\$3 near signal)) same ((reliab\$7 or qual\$4) near factor) same (error)) and (reencod\$3 or re-encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 11:36
S61	3271	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 13:03
S62	66	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 13:03

S63	9	decode\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 15:02
S64	1	US-5673291-\$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 14:37
S65	14	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad< "20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 15:28
S66	6	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad< "20000517") and (least) and (largest or large \$4) and (thresh\$4) and (differen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:58
S67	1118	receiv\$4 signal value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:57
S68	0	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5) same equaliz\$4 and (@ad< "20000517") and (receiv\$4 signal value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 17:59
S69	18	decod\$4 same (reencod\$4 or re-encod\$5 or re encod\$5 or encod\$3) same (equaliz\$4 or filter) and (@ad< "20000517") and (receiv\$4 signal value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:27
S70	23	(kerdock near encoder) and (kerdock near decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S71	0	(kerdock near encoder) and (kerdock near decoder) and @ad< "20000517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S72	0	(kerdock near decoder) and @ad< "20000517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 19:31
S73	8	("4517552" "5285276" "5452009" "5572532" "5938787" "6219358" "6226318" "6762698").FN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/02 19:32

S74	1	09/572122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 14:03
S75	8597	reliab\$5 with decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 14:23
S76	65	(reliab\$5 with decod\$4) and (code near vector) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @riad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S77	6960	375/341-346.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S78	6653	714/755-780.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/27 16:31
S79	1697	receiv\$4 same (code near2 vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:30
S80	979	(receiv\$4 same (code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @riad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:32
S81	84	(receiv\$4 same (signal near3 code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @riad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:32
S82	5	09/052501	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 10:54
S83	4	(receiv\$4 same (kerdock near3 code near2 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @riad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 11:04

S84	7	(receiv\$4 same (kerdock near3 code)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 11:04
S85	1	09/572122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 12:27
S86	3	(decod\$4 with (code near3 vector)) same (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 13:42
S87	3176	(reliab\$5 near2 (factor or signal or measure)) same (receiv\$4 near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 13:46
S88	33	(decod\$4 with (code near3 vector)) and (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:35
S89	4	(decod\$4 same (code near3 vector)) same (constellat\$5 or constel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:40
S90	5	(decod\$4 with (code near3 vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:47
S91	23	(decod\$4 same (code near3 vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 14:48
S92	2066	(decod\$4 same (code or vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:01
S93	1312	(decod\$4 with (code or vector)) same (constellat\$5 or constel\$4 or QAM or psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:01

S94	161	((decod\$4 same (code with vector)) and ((constellat\$5 or constel\$4 or QAM or psk) same decod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:02
S95	55	((decod\$4 same (code with vector)) and ((constellat\$5 or constel\$4 or QAM or psk) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 15:03
S96	111	((decod\$4 same (code with vector)) and ((correlat\$4 same referenc\$3) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:14
S97	69	((decod\$4 with (code with vector)) and ((correlat\$4 same referenc\$3) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:22
S98	48	((decod\$4 with (code with vector)) and ((correlat\$4 with referenc\$3) same decod\$4) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:23
S99	2	((decod\$4 with (code with vector)) and ((correlat\$4 with referenc\$3) same (code near3 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:25
S100	19	((decod\$4 with (code with vector)) and ((correlat\$4 same referenc\$3) same (code near3 vector)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:26

S101	162	((code with vector)) and ((correlat\$4 with referenc\$3 with receiv\$4)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:38
S102	21	(decod\$4 same (code with vector)) and ((correlat\$4 with referenc\$3 with receiv\$4)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:39
S103	12	(decod\$4 same (code with vector)) and ((correlat\$4 with referenc\$3 with received)) and (@ad<"20000517" or @pd<"20000517" or @prad<"20000517" or @rlad<"20000517")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 18:39

4/30/2008 7:15:18 PM

C:\Documents and Settings\hsingh1\My Documents\EAST\Workspaces\10,815,335.wsp